Author Index

Abdennebi, E. H., see Singh, A. K. 223
Abidi, S. L.
Chiral-phase high-performance liquid chromatography of rotenoid racemates 133
Aldous, S., see Ismail, Z. 372
Amato, A., see Gagliardi, L. 267
Amin, M.
Quantitative determination of some prostaglandin derivatives of the sub-groups E_2, A_2 and B_2 by high-performance liquid chromatography 385
Ashraf, M., see Singh, A. K. 223
Bannon, C. D.
——, Craske, J. D., Felder, D. L. and Norman, L. M.
An investigation of pre-set and actual splitting ratios in split injection capillary gas–liquid chromatography 340
Barry, H. D., see Ismail, Z. 372
Billiet, H. A. H., see Erkelens, C. 67
Bolasco, A., see Gagliardi, L. 267
Brandšteterová, E.
——, Lehotay, J., Garaj, J. and Leclercq, P. A.
Liquid chromatography of dibutyldithiocarbamate degradation products 359
Brieva, A., see Rubio, N. 378
Bruinsma, J., see Vermeer, E. 346
Buffham, B. A., see Rathor, M. N. 33
Burrows, R.
——, Gillespie, D. G., Cooke, M. and Eddib, O.
Simple preparation of a Poly-S 179 capillary column for the analysis of polycyclic aromatic hydrocarbons and triglycerides 248
Cavazzutti, G., see Gagliardi, L. 267
Čelap, M. B., see Janjič, T. J. 307
Ceva, P., see Pietta, P. 279
Chang, C. A., see Lin, G. 328
——, Wu, Q. and Sheu, C.
Determination of cations of the parts-per-billion level with non-suppressed ion chromatography and indirect photometric detection 282
Chen, T.-L., see Hsu, J. T. 1
Chimenti, F., see Gagliardi, L. 267
Chrétien, J. R., see Szymoniak, K. 11
Cooke, M., see Burrows, R. 248
Craske, J. D., see Bannon, C. D. 340
Currò, P.
——, Micali, G. and Lanuzza, F.
Determination of β-asarone, safrole, isosafrole and anethole in alcoholic drinks by high-performance liquid chromatography 273
Däppen, R., see Pirkle, W. H. 107
Dallenbach-Toelke, K.
——, Nyiredy, Sz. and Sticher, O.
Application of various planar chromatographic techniques for the separation of iridoid glycosides from *Veronica officinalis* 365
De Galan, L., see Erkelens, C. 67
De Leer, E. W. B., see Erkelens, C. 67
Delrieu, P., see Inchauspe, G. 53
Dmitrenko, A. V., see Shadrina, N. E. 183
Dombrovskis, D., see Singh, A. K. 223
Dreux, M., see Lafosse, M. 95
Dupin, P., see Inchauspe, G. 53
Duprat, F., see Gassend, R. 87
Eddib, O., see Burrows, R. 248
Erkelens, C.
——, Billiet, H. A. H., De Galan, L. and De Leer, E. W. B.
Origin of systems peaks in single-column ion chromatography of inorganic anions using high pH borate–gluconate buffers and conductivity detection 67
Felder, D. L., see Bannon, C. D. 340
Frisvad, J. C.
—— and Thrane, U.
Standardized high-performance liquid chromatography of 182 mycotoxins and other fungal metabolites based on alkylphenone retention indices and UV–VIS spectra (diode array detection) 195
Fujiwara, S., see Honda, S. 313
Funazo, K., see Tanaka, M. 175
Gagliardi, L.
——, Amato, A., Cavazzutti, G., Chimenti, F., Bolasco, A. and Tonelli, D.
Identification and quantification of hydroquinone and some of its ethers in cosmetic products by reversed-phase high-performance liquid chromatography 267
Galan, L. de, see Erkelens, C. 67
Gan, D.-C.
—— and Tarter, J. G.
Simultaneous determination of sodium and chloride ions by ion chromatography at the μg/l level 285
Garaj, J., see Brandšteterová, J. 359
Gassend, R.
——, Duprat, F. and Gau, G.
Inductive adsorption as a new approach to amine enantiomer resolution 87
Gau, G., see Gassend, R. 87

Gillespie, D. G., see Burrows, R. 248
Goewie, C. E.
—— and Hogendoorn, E. A.
Pre-column clean-up and liquid chromatographic determination of residues of N-methylcarbamate pesticides in extracts of total diet 352
Granley, K., see Singh, A. K. 223
Grob, K.
—— and Müller, E.
Sample reconcentration by column-external solvent evaporation or injection of large volumes into gas chromatographic capillary columns? 297
Gübitz, G.
—— and Juffmann, F.
Resolution of the enantiomers of thyroid hormones by high-performance ligand-exchange chromatography using a chemically bonded chiral stationary phase 391
Harduf, Z.
Integrators as a source of inaccurate results 326
Hashimoto, T., see Kato, Y. 333
Hein, S. J., see Ramus, T. L. 155
Henzel, W. J.
——, Rodriguez, H. and Watanabe, C.
Computer analysis of automated Edman degradation and amino acid analysis data 41
Hepp, M. A.
—— and Klee, M. S.
Characterization of porous polymers by polar strength and selectivity 145
Hewetson, D., see Singh, A. K. 223
Hogendoorn, E. A., see Goewie, C. E. 352
Honda, S.
——, Iwase, S., and Fujiwara, S.
Evaluation of an automatic siphonic sampler for capillary zone electrophoresis 313
Hsu, J. T.
—— and Chen, T.-L.
Theoretical analysis of the asymmetry in chromatographic peaks 1
Inchauspe, G.
——, Delrieu, P., Dupin, P., Laurent, M. and Samain, D.
Mechanism of selectivity in ion-pair high-performance liquid chromatography of aminoglycoside antibiotics using perfluorinated pairing ions 53
Irvine, G. B.
High-performance size-exclusion chromatography of polypeptides on a TSK G2000SW column in acidic mobile phases 215
Ismail, Z.
——, Aldous, S., Triggs, E. J., Smithurst, B. A. and Barry, H. D.
Gas chromatographic analysis of Didronel tablets 372
Ivanchev, S. S., see Shadrina, N. E. 183
Iwaki, K.
——, Yoshida, S., Nimura, N., Kinoshita, T., Takeda, K. and Ogura, H.
Optical resolution of enantiomeric amino acid derivatives on a naphthylethylurea multiple-bonded chiral stationary phase prepared via an activated carbamate intermediate 117
Iwase, S., see Honda, S. 313
Iyengar, J. R., see Lawrence, J. F. 261
James, L. B.
Amino acid analysis. I. Nuances of integration 321
Janča, J.
Flow velocity profile in channels with modulated cross-sectional permeability for sedimentation–flotation focusing field-flow fractionation using step density gradients 23
Janjić, T. J.
——, Tešić, Ž. Lj., Vučković, G. N. and Ćelap, M. B.
Effect of the geometrical configuration of facial and meridional isomers of cobalt(III) and chromium(III) complexes on their R_F values 307
Juffmann, F., see Gübitz, G. 391
Kato, Y.,
——, Yamasaki, Y., Moriyama, H., Tokunaga, K. and Hashimoto, T.
New high-performance gel filtration columns for protein separation 333
Kinoshita, T., see Iwaki, K. 117
Klee, M. S., see Hepp, M. A. 145
Knegt, E., see Vermeer, E. 346
Lafosse, M.
——, Dreux, M. and Morin-Allory, L.
Champs d'application d'un nouveau détecteur évaporatif à diffusion de lumière pour la chromatographie liquide hautes performances et la chromatographie en phase supercritique 95
Lanuzza, F., see Currò, P. 273
Laurent, M., see Inchauspe, G. 53
Lawrence, J. F.
—— and Iyengar, J. R.
Liquid chromatographic determination of beta-aspartame in diet soft drinks, beverage powders and pudding mixes 261
Leclercq, P. A., see Brandšterterová, J. 359
Leer, E. W. B. de, see Erkelens, C. 67
Lehotay, J., see Brandšteterová, E. 359
Lin, G.
—— and Chang, C. A.
Heavy alkylated benzene stationary phase for the gas–liquid chromatographic separation of light hydrocarbons 328

McDaniel, D. M.
—— and Snider, B. G.
Resolution of α-arylacetic acid enantiomers on two chiral stationary phases 123
Manera, E., see Pietta, P. 279
Mason, G., see Rathor, M. N. 33
Micali, G., see Currò, P. 273
Mishra, U., see Singh, A. K. 223
Morin-Allory, L., see Lafosse, M. 95
Moriyama, H., see Kato, Y. 333
Motorin, Yu. A.
Determination of binding constants by high-performance gel filtration 254
Müller, E., see Grob, K. 297
Nimura, N., see Iwaki, K. 117
Norman, L. M., see Bannon, C. D. 340
Nyiredy, Sz., see Dallenbach-Toelke, K. 365
Ogura, H., see Iwaki, K. 117
Pan, P. W., see Tan, H. S. I. 233
Pavlova, V. F., see Shadrina, N. E. 183
Pietta, P.
——, Manera, E. and Ceva, P.
Simultaneous isocratic high-performance liquid chromatographic determination of flavones and coumarins in *Matricaria chamomilla* extracts 279
Pirkle, W. H.
—— and Däppen, R.
Reciprocity in chiral recognition. Comparison of several chiral stationary phase . 107
Ramus, T. L.
——, Hein, S. J. and Thomas, L. C.
Determinations of polychlorinated biphenyl isomers by response factor calibration 155
Rathor, M. N.
——, Buffham, B. A. and Mason, G.
Detection of void zones in packed chromatographic columns 33
Rodriguez, H., see Henzel, W. J. 41
Rubio, N.
—— and Brieva, A.
Purification of allergens by high-performance liquid chromatography. V. Purification of cat and dog ephithelial allergens 378
Samain, D., see Inchauspe, G. 53
Shadrina, N. E.
——, Dmitrenko, A. V., Pavlova, V. F. and Invanchev, S. S.
Investigation by pyrolysis–gas chromatography of the composition of multicomponent polymeric microheterogeneous systems based on some vinyl monomers 183
Sheu, C., see Chang, C. A. 282
Shono, T., see Tanaka, M. 175
Singh, A. K.
——, Mishra, U., Ashraf, M., Abdennebi, E. H., Granley, K., Dombrovskis, D., Hewetson, D. and Stowe, C. M.
Analysis of detomidine in horse blood, plasma and urine samples utilizing a sensitive gas chromatography–mass spectrometry method 223
Smithurst, B. A., see Ismail, Z. 372
Snider, B. G., see McDaniel, D. M. 123
Sticher, O., see Dallenbach-Toelke, K. 365
Stowe, C. M., see Singh, A. K. 223
Suzuki, Y., see Tani, K. 242
Szymoniak, K.
—— and Chrétien, J. R.
Factor analysis of trends in selectivity in gas–liquid chromatography of 175 saturated and unsaturated esters on 14 polysiloxane stationary phases 11
Takeda, K., see Iwaki, K. 117
Takigawa, H., see Tanaka, M. 175
Tan, H. S. I.
—— and Pan, P. W.
High-performance liquid chromatographic separation of noreximide and norendimide in bulk material, tablets and animal feed 233
Tanaka, M.
——, Takigawa, H., Yasaka, Y., Shono, T., Funazo, K. and Wu, H.-L.
Derivatization of inorganic anions with pentafluorobenzyl methanesulphonate for gas chromatography 175
Tani, K.
—— and Suzuki, Y.
Retention behaviour of aromatic aldehyde derivatives in reversed-phase liquid chromatography 242
Tarter, J. G., see Gan, D.-C. 285
Tešić, Ž. Lj., see Janjić, T. J. 307
Thomas, J.
Relationships between retention behaviour and structure of N-substituted 1,2,4-triazoles in thin-layer chromatography on silica gel 73
Thomas, L. C., see Ramus, T. L. 155
Thrane, U., see Frisvad, J. C. 195
Tokunaga, K., see Kato, Y. 333
Tonelli, D., see Gagliardi, L. 267
Tóth, G.
Adsorption chromatographic behaviour of ^{125}I-labelled progesterone-11α- and -12α-succinyltyrosine methyl ester 258
Triggs, E. J., see Ismail, Z. 372
Urbach, G.
Dynamic headspace gas chromatography of volatile compounds in milk 163
Vermeer, E.
——, Knegt, E. and Bruinsma, J.
Determination of abscisic acid in small amounts of plant material 346
Vučković, G. N., see Janjić, T. J. 307

Watanabe, C., see Henzel, W. J. 41
Wu, H.-L., see Tanaka, M. 175
Wu, Q., see Chang, C. A. 282
Yamasaki, Y., see Kato, Y. 333
Yasaka, Y., see Tanaka, M. 175
Yoshida, S., see Iwaki, K. 117